

Karmeim Machinery Taiwan • Hong Kong • China

Full Function

Portable Edge Bander

Multi-Functional

Edge Banding Machine

www.karmeimachinery.com

www.karronghua.eu



我司建立于1997年，多年来从事“嘉美牌”封边机研制，我司本着：“质量第一，诚信为本”的经营理念，产品获得国家多项认证及技术专利。产品远销海内外，用户遍及东南亚，中东、欧美等国家和地区，获得国内外用户的一致好评。

Established in 1997, our company has been engaging in researching and manufacturing KARMEI brand edge band machines for many years. Under the business concept of relying on credit standing and the quality first principle, our products have won many technical patents and certificates. Our products sell well at home and abroad including Southeast Asia, Middle East, Europe and America etc. The products are highly praised by customers from home and abroad.

手提木工封边机

Portable edge bander

技术参数	Technical Data	KM 07款	KM 08款	KM 09 款	KM 10款
进带速度	Feed speed	4 meter/min	4 meter / min	2-6meter / min	2-6 meter / min
封边带厚度	Thickness of Banding Tape	0.3-3.0mm	0.3-3.0mm	0.3-3.0mm	0.3-3.0mm
封边宽度	Width of Banding Tape	10-45mm	10-45mm	10-55mm	10-55mm
工作温度	Working Temperature	200℃ below	200℃ below	200℃ below	200℃ below
电机功率	Motor	25W	15W	25W	25W
总功率	Total Power	525W	765W	650W	650W
溶胶罐体积	Hot Melt Adhesive Pot Volume	330ML	160ML	320ML	320ML
机器净重	Machine Net Weight	11KG	8.5KG	9.2KG	9.2KG
机器毛重	Machine Gross Weight	16KG	13.5KG	15.4KG	15.4KG
纸箱包装尺寸	Packing Canton Box	365*335*395MM	365*335*395MM	365*335*395MM	365*335*395MM
可移动铁箱包装箱尺寸	Troller With Packing Metal Box	460*430*510MM	460*430*510MM	460*430*510MM	460*430*510MM
可移动塑料包装箱尺寸	Packing Plastic Box	430*350*450MM	430*350*450MM	430*350*450MM	430*350*450MM
弧边的最小半径	Minmum Raduis	20MM	20MM	20MM	20MM
封边带种类	Application Range	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer



型号: KM07



型号: KM08



型号: KM09



型号: KM10

手动木工封边机

Manual edge banding machine



F-220A



F-220A1 (可加高机头/可封100mm宽的封边带, 加支架, 扩大工作台面)

技术参数	Technical Data	F-220A	F-220A1	F-220E	F-380B
弧边最小半径	Mini Radius Of Banding	20mm	20mm	20mm	20mm
加热功率	Heating Power	1.8KW	1.8KW	1.8KW	1.8KW
调速方式	Speed Adjustment	Simens Tranducer	Simens Transducer	Simens Transducer	Belt Wheels
进带速度	Feeding Speed	1-18m/min	1-18m/min	1-18m/min	3 Speed (7-9-16m/min)
净重	Net Weight	290KG	250KG	180KG	192KG
毛重	Gross Weight	350KG	310KG	230KG	242KG
外形尺寸	Machine Size	1180*830*1150mm	1180*830*1150MM	1180*830*1150mm	1180*830*1150MM
外包装尺寸	Measurement	1480*950*1220mm	1480*950*1220MM	1480*950*1220mm	1480*950*1220MM
封边带种类	Application Range	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer	塑料, 木皮, 纸边 Plastics, Melamine, Veneer
封边带厚度	Thickness Of Banding	0.3-3.0MM	0.3-3.0MM	0.3-3.0MM	0.3-3.0MM
封边带宽度	Width Of Banding	10-50MM	10-50MM	10-50MM	10-50MM
可封工件形状	Shape Of Workpiece	Straight, Irregular, Beve 直边, 曲边, 斜边	Straight, Irregular 直边, 曲边	Straight, Irregular 直边, 曲边	Straight, Irregular 直边, 曲边



F-220E (单面涂胶)



F-380B (皮带轮三级调速)

**FIXED THE EDGE BANDER ON BLANKET
TO BAND SMALL WOOD PIECE**

固定机器封边，此操作作用于体积较小的工件




Fig.1 (图1)

**TAKE THE MACHINE IN HAND TO BAND
BIG WOOD PIECE.**

拿着机器封边，此操作作用于体积较大的工件。




Fig.2 (图2)

**ELECTRICAL
TRIMMING**

修边图片



PNEUMATIC CUP

气动吸盘



Hand End Trimmer



ROUND SGAPE CUTTING DEVICE
齐头刀(可切弧边)



STRAIGHT CUTTING DEVICE
齐头刀(可切直边)

TECHNICAL DATA (参数)

Max. cutting width with 1mm type	55mm
Max. cutting width with 2mm type	45mm
Max. cutting width with 3mm type	25mm

PACKAGING

包装图片



可移动塑料箱 / 铁箱包装 Packing Plastic Box



纸箱包装 Canton Box Packing

Accessories

机器配件部分如下



A 电动修边机
Electric Edge Trimmer Machine

B 手动修边齐头刀具
Manual Edge Trimmer

C 手动吸柱
Wooden Board Fixing Sucker

D 气动吸柱
Pneumatic Wooden Board Fixing Sucker

E 固定支架
Fixed Machinery Stand

G 移动塑料箱包装箱
Packing Plastic Box

F 移动铁箱包装箱
Trolley With Packing Metal Box

H 齐头刀
Hand End Trimmer

Karmeimachinery 嘉美木工机械 Taiwan·Hong Kong·China

www.karmeimachinery.com
www.karronghua.eu

Sales : HK +(852) 2827.9283 Fax: 3007.1436 China +(86) (769) 8559.1101
Email: sales@karmeimachinery.com
Skype: [karmeimachinery](https://www.skype.com/name/karmeimachinery) MSN: karmeimachinery@hotmail.com

Hong Kong Office : 1121, New Central Plaza, 34, Tai Yau St., SanPoKong, Kowloon, Hong Kong
Canton Office : 1303, Yong Hua Ting – Business Bldg., Dong Cheng Blvd., Dong Cheng, Dongguan City, Guangdong Province, P.R.China
Factory : Dajin Industrial Estate, Danzao Town, Nanhai District, Foshan City, Guangdong Province, P.R.China